


MODEL AMCS	VESSEL DIAMETER	MIN SIZE I/O	A				B	C	D	E	BOLT CIRCLE	BOLT HOLES
			150#	300#	600#	900#						
6-16	16" OD	6"	16	18	18	18	76	26	108	18	18-1/2	4@7/8"
6-18	18" OD	6"	17	19	19	19	76	26	110	19	20-1/2	4@7/8"
8-20	20" OD	8"	18	20	20	20	80	26	114	19	22-1/2	4@7/8"
8-24	24" OD	8"	20	20	20	22	80	26	116	20	26-1/2	4@7/8"
8-26	26" ID	8"	23	23	23	25	80	26	118	21	28-1/2	4@7/8"
10-30	30" ID	10"	24	24	26	26	83	26	123	22	32-1/2	4@7/8"
12-36	36" ID	12"	27	27	29	29	95	30	137	23	38-1/2	4@7/8"
14-42	42" ID	14"	30	30	32	34	100	30	146	25	44-1/2	4@7/8"
16-48	48" ID	16"	33	33	35	37	104	30	152	26	50-1/2	8@7/8"
18-54	54" ID	18"	38	38	40	42	109	30	163	28	56-1/2	8@7/8"
20-60	60" ID	20"	41	43	45	47	124	36	180	29	62-1/2	8@7/8"
20-66	66" ID	20"	44	47	47	50	124	36	184	31	68-1/2	8@7/8"
24-72	72" ID	24"	47	47	49	51	134	36	198	32	74-1/2	8@7/8"
24-78	78" ID	24"	51	51	53	55	133	36	201	34	80-1/2	8@7/8"

NOTES:

- 1.) DESIGNED, FABRICATED AND STAMPED IN ACCORDANCE WITH ASME CODE SECTION VII, DIVISION I.
- 2.) SPECIAL MATERIALS, CONFIGURATIONS, AND HIGHER DESIGN PRESSURES AVAILABLE UPON REQUEST
- 3.) SKIRT AND BASE STANDARD, OPTIONAL SUPPORT LEGS OR SUPPORT LUGS AVAILABLE UPON REQUEST
- 4.) DIMENSIONS ARE IN INCHES
- 5.) DIMENSION ARE NOT TO BE USED FOR CONSTRUCTION

HOW TO SPECIFY



AVAILABLE CONNECTIONS	DRAIN: _____	VENT: _____
	SYPHON: _____	L.L.C.: _____
	INSPECTION: _____	
	OTHERS: _____	

STANDARD MATERIALS		COMMENTS
HEADS	SA-516-70	
SHELL	SA-106-B/C / SA-516-70	
FLANGES	SA-105	
FITTINGS	SA-105	
PIPE	SA-106-B/C	
SUPPORTS	SA-36 / SA-285	
CYCLONES	CARBON STEEL	



A.S.M.E. CODE STAMPS

